

K. H. L. Key + party

N.T.

6-10. iii. 1973

+ *Heterostium Australiense*

6/3. [plant identifications by M. Lazard]

Zebraria flavoviridis, *Adiantum erythrostictum*,
 Collected from Kooragang about 3 of the
Macrocarpa conglobata, *Scaevola nodosa*, *Arctostaphylos*
 way towards the saddle on road to
 sp. 1, A. sp. 4, *Cypripedium* sp. 1, *Genus nov.* 70 sp. 1, *Perbellia*
 airstrip. Open forest on sandy loam around
pieta, *Sorghum stipoides* Halparana
 camp, with *Sorghum* to 8ft + patches of
pallida, *Macrocarpa* sp. 17, *Convolvulus* sp. 4, *Albizia*
 lower, with shorter grass, forbs + shrublets.
 sp. 19, *Tolgedia infirma*, *Thunbergia*, *Genus nov.* 77 sp. 1,
 Higher up, eucalypt forest with *Acacia* spp.,
Desfontainia sp. 10, *Bernieria curvicaulis*, *Qualitella* sp. 1,
 occ. *Calyptra*, some *Triodia* on rocky spur,
Heterostemum obscurum, *Genus nov.* 105 sp. 1, *Gen. nov.* 105 sp. 2,
 various forbs + shrublets. *Arctostaphylos* on rocky
Reichardia sp., *Genus nov.* 106 sp. 1, *moraine* spp. P1486 P158,
 rises. *Macrocarpa* on bare ground. *Happesand*
Daphneria acuta, *Coniaca vocans*, *Coniaca* sp. 3,
 on a slightly fatty, but green, bur-
Triumfetta sp. (Tiliaceae) *Genus nov.* 61 sp. 2,
 producing shrublet (spec.). *Daphneria* on
Genus nov. 78 sp. 1, *Genus nov.* 95 sp. 15, *Cardellina cimbata*,
Pandanus regrowth. *Bernieria curvicaulis*
 on hygrophilous grasses, usually in
 association with *Pandanus*. Had new
 genus (brachytrous) on a prostrate
Hibbertia sp.
~~*Zinnia*~~ plant (spec.), *Xyris* on
 sandy areas with low sparse grass.
Hastella sp. P1486 on grasses in *Sorghum*

Dampiera conospermoides W. V. Fitzg.

Pityrodia puberula Munro

dominated herbaceous stratum. *Orealleta*
sp. (~~or new genus~~) on rather flat rocky areas.

Genus nov. 77 + nymph of Genus nov. 799 on
fine-leaved green *Triodia*.

7/3. (1) am. Koongarra to ca. 2 km W. Open
Daperria acicola, *Talgadia infima*, *Xantemaria*
forest with *Sorghum* to 8 ft + adjacent
medicris, *Gastromargus narsicus*, *Berninus*.

base of scarp with lower vegetation,
including shrublets + forbs. *Macrocara* sp. 1
Coryphistes sp. 4, *Calophilla australis*, *Zebratula*
Pyrochilus seriatum, *Cypselia* sp. 1, *Macrotoma* sp. 17

on sandy areas with sparse low grass.
flavonigra, *Desertaria* sp. 10, *Adlappa erythroptera*

(2) pm. Saddle to Petasida camp. *Strophis* nymphs
+ adults on *Dampiera* sp. (*spec.*). *Petasida*
guttulosa, *Petasida elliptica*, *Desertaria* sp. 10,

on *Pityrodia jamesii* (1), another aromatic
Pityrodia (1: seen feeding) *Coryphistes* sp. 4,
shrublet (*spec.*) (2), + within 2 m of last (2).

Genus nov. 70 sp. 1, Genus nov. *Acacia* sp. 77 sp. 1,
Phasmatids on an *Acacia* (*spec.*), near
Xantemaria medicris, *Goniaca vocans*, Genus nov. 105
lps, at Petasida camp. *Coryphistes* on trunks
sp. 1, Genus nov. 106 sp. 1, Genus nov. 61 sp. 2
of the mustard-coloured fluffy-barked euc. &

of *Acacia* sp.

(1) am. *Macrotera* sp. 17, *Daperria acicola*
8/3. Saddle to "Upton's Gorge". *Calophilla* most
abundant on open, slightly swampy areas.
australis, *Reckitropis* sp., *Xantemaria medicris*,
Petasida on *Pityrodia jamesii* near Upton's
Gorge. *Geckomima* seen mainly as 3-
grown nymphs. *Moraba* sp. on a broad-
Coryphistes sp. 4, *morabine* sp. P200 (?), Genus nov. 61 sp. 2,
Cypselia sp. 1, Genus nov. 106 sp. 1, *Desertaria* sp. 10 (f.),

Heteropterus, *Stenocaulis*, *Haploparana* pollida, *Tolgadina*
leafed shrub or tree regrowth to 3ft. near
Wormia, *Microrhiza* sp. 19, *Morabinae* spp. 148, 199, *Petasida*
Saddle against base of reasp. *ephippigras*

(2) pm. *Tolgadina* *livittata* in grass to 2-3ft
shrub *Tolgadina* *livittata*
in *Phalaena* swamps at Koongarra.

7/3. (1) Koongarra to "Anomaly X", skirting southern
Microrhiza sp. 15, *Genus* nov. 61 sp. 2, *Peakesia* *stimmica*,
side of range. *Calidia* on short grass (bin)
Tolgadina *Wormia*, *Caloptilla* *australis*, *Calidia* *capitata*,
fringing *Pandanus* swamp. *Stenocatantops*
Goniodeidea sp. 3, *Bermis* *curvicauda*, *Macrocarra*
Keji in grass to 3ft, somewhat swampy.
conglobata, *Aspergeria* *decolorata*, also *Spekiforma*, *Adalappa*
Peakesia & *Goniodeidea*, on lateritic
erythroptera, *Genus* nov. 70 sp. 1 (f), *Diplecthia* sp. 1,
gravel flat with grasses & forbs mainly
Rectitropis sp., *Morabinae* spp. 158, 148, *Stenocatantops* *Keji*,
to 9-12 in. *Microrhiza* on lateritic gravel
Pandillara *limbata*,
bearing small tussocks of green

Triodia to 1ft. Saw adult *Stenocatantops*
angustifrons &
Austracris *basalis*.

(2) *Qualitza* on flat with small stones
Antzra sp. 1, *Qualitza* sp. 1, *Perbellia* *pieta*, *Genus* nov. 61
& flat rock exposures, as on 6/3. P. 2

10/3. Noranda "sump" to *Petasida* camp.
Adalappa *erythroptera*, *Atractomorpha* *similis*, *Loxilebus*
Tetrigids in *Pandanus* swamp in semi-
spp. 1, 2, *Genus* nov. 106 sp. 1 (f), *Genus* nov. 61 sp. 2,
rainforest at "sump". *Moraba* sp. (also
Morabinae spp. 148, 158, 199, *Genus* nov. 105 sp. 1, *Rectitropis*
a few nymphs) on a scrambling
sp. *Daviesia* *relinata* Benson,
papilionaceous shrub or perennial herb

(spec.) at in sheltered gully at *Petasida*
camp, *Atractomorpha* at sump.